

# **HKTC** Stay Connected, Stay Worry-Free



**2025**

Found in 1983, **KAN TSANG** began our wonder miles in telecom and audio field.

**KAN TSANG**-Withstanding the Test of Time. We have stood resilient in the market for many years, demonstrating unwavering strength and endurance. Through overcoming challenges, embracing change, and maintaining a constant drive for continuous innovation, we have established a formidable organization capable of navigating a highly competitive business environment.

As you can see, our factory stands as beacon of innovation, manufacturing expertise, and responsible practices. Through our robust R&D efforts, meticulous manufacturing processes, and commitment to ISO and BSCI compliance, we strive to deliver products that not only meet the quality standards but also reflect our dedication to social and environmental responsibility. We invite you to experience the integrity that define our factory and look forward to forgoing lasting partnerships based on trust, reliability, and shared values.





## KT716W

### 2.4GHz + WiFi Video Baby Monitor

- 7" Extra Large LCD Screen
- 1280 x 720P HD Video Screen
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 5000mAH Rechargeable Battery
- VOX Mode
- White Noise / Lullabies
- Night Light

- Digital Zoom (2X ; 4X)
- Screen Capture Save to SD Card (image or video)
- Random Playback Captured Pictures in standby Mode
- AI Features (Motion Detection, Crying Detection, Action Tracking)
- WiFi Off mode for Privacy Protection
- Multi-Languages User's Interface





## KT616S / KT616W

### 2.4G + WiFi Video Baby Monitor

- 5.5" IPS Screen 720P
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 5000mAH Rechargeable Battery
- VOX Mode
- White Noise / Lullabies
- Night Light
- Multi-languages user's interface (KT616W only)
- AI Features (Motion Detection, Crying Detection, Action Tracking)(KT616W only)
- WiFi Off mode for Privacy Protection






## KT626S / KT626W

### 2.4G + WiFi Video Baby Monitor

- 5.5" IPS Screen 720P
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 5000mAH Rechargeable Battery
- VOX Mode
- White Noise / Lullabies
- Night Light
- Multi-languages user's interface (KT626W only)
- AI Features (Motion Detection, Crying Detection, Action Tracking)(KT626W only)
- WiFi Off mode for Privacy Protection





## **KT599S** **2.4GHz + Video Baby Monitor**

- 5" IPS Screen 1280 x 720P
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 5000mAH Rechargeable Battery
- VOX Mode
- White Noise / Lullabies





## KT868S / KT868W

### 2.4G + WiFi Video Baby Monitor

- 5" IPS Screen 480P(KT-868S) / 720P(KT-868W)
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 5000mAH Rechargeable Battery
- VOX Mode
- White Noise / Lullabies
- Night Light
- Multi-languages user's interface (KT868W only)
- AI Features (Motion Detection, Crying Detection, Action Tracking)(KT868W only)
- WiFi Off mode for Privacy Protection





## KT568S / KT568W

### 2.4GHz + WiFi Video Baby Monitor Customized Companion App

- 5" IPS Screen 480 x 854P(KT568S)  
720 x 1280P(KT568W)
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 5000mAH Rechargeable Battery

- VOX Mode
- White Noise / Lullabies
- AI Motion Detection(KT568W only)
- AI Cry Detection(KT568W only)
- Multi-languages user's interface  
(KT568W only)





## KT438S / KT438W

### 2.4GHz + WiFi Video Baby Monitor

### Customized Companion App

- 4" IPS Screen 480 x 800P
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 3000mAH Rechargeable Battery

- VOX Mode
- White Noise / Lullabies
- AI Motion Detection
- AI Cry Detection
- SD card slot for recording (KT438W Only)
- Multi-languages user's interface (KT438W only)





## KT428W

### 2.4G + WiFi Video Baby Monitor

- 4" TFT Screen 480 x 800P
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range
- Pan-Tilt-Zoom
- 2500mAH Rechargeable Battery
- VOX Mode
- White Noise / Lullabies
- Night Light
- Multi-languages user's interface
- AI Features (Motion Detection)
- WiFi Off mode for Privacy Protection






## **KT4312S** **4" Display Video Baby Monitor**

- 4" IPS Screen 480 x 320P
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control
- VOX activation for crying alarm
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- Adjustable Viewing Angle for Baby Unit
- Wall Mountable
- 2500mAH Rechargeable battery for Monitor



## KT411S 4" Display Video Baby Monitor

- 4" TFT screen
- 480 x 800 RGB
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control
- VOX activation for crying alarm
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- Adjustable Viewing Angle for Baby Unit
- Wall Mountable
- 2500mAH Rechargeable battery for Monitor



## KT418S / KT418W

### 2.4GHz + WiFi Video Baby Monitor Customized Companion App

- 4" IPS Screen 480 x 800P
- 1280 x 720P Camera
- Two-Way Talk Audio
- Auto Infrared Night Vision
- 1000ft Range

- Pan-Tilt-Zoom
- 3000mAH Rechargeable Battery
- VOX Mode
- White Noise / Lullabies
- Multi-languages user's interface (KT418W only)





## KT823SR

### 3.5" Display Video Baby Monitor

- 3.5" IPS Screen 212 x 318P
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control

- VOX activation for crying alarm
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- Adjustable Viewing Angle for Baby Unit
- Wall Mountable
- 1700mAH Rechargeable battery for Monitor



**KT823SB**



**KT823SC**



**KT823S**





## KT828S 3.5" Display Video Baby Monitor

- 3.5" IPS Screen 212 x 318P
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control
- VOX activation for crying alarm
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- Adjustable Viewing Angle for Baby Unit
- Wall Mountable
- 1700mAH Rechargeable battery for Monitor



## **KT3112S** **3.5" Display Video Baby Monitor**

- 3.5" IPS Screen 212 x 318P
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control
- VOX activation for crying alarm
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- Adjustable Viewing Angle for Baby Unit
- Wall Mountable
- 1700mAH Rechargeable battery for Monitor



## KT829J

### 2.4GHz / WiFi Video Baby Monitor

3.5" IPS Screen 480 x 320P

1280 x 720P Camera

Two-Way Talk Audio

Auto Infrared Night Vision

1000ft Range

Pan-Tilt-Zoom

VOX Mode

2 White noises + 6 Lullabies

Night Light Mode

Remote Zoom/Pan/Tilt

1700mAH Rechargeable battery for Monitor

\*\* No WiFi version available \*\*





### KT905SB

### 2.8" Display Video Baby Monitor

- IPS Screen(320 x 240P)
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control
- VOX activation for crying alarm
- Portable Parent Unit with Belt Clip
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- Adjustable Viewing Angle for Baby Unit
- Wall Mountable
- 1500mAH Rechargeable battery for Monitor



KT905S



KT905SC



KT905SR



## KT902S

### 2.8" Display Video Baby Monitor

- IPS Screen(320 x 240P)
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder

- Volume Control
- VOX activation for crying alarm
- Portable Parent Unit with Belt Clip
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- Adjustable Viewing Angle for Baby Unit
- Wall Mountable
- 1500mAH Rechargeable battery for Monitor



Pinky



Blueby



Yolky



### KT903SR

#### 2.8" Display Video Baby Monitor

- IPS Screen(320x240P)
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control
- VOX activation for crying alarm
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- 1500mAH Rechargeable battery for Monitor



KT903S



KT903SB



KT903SC



## KT901S

### 2.8" Display Video Baby Monitor

- IPS Screen(320x240P)
- Infrared Night Vision
- White Noises + Lullabies
- Two Way Talk
- Room Temperature Monitor
- Viewing Angle : 60 degree
- Eco Mode
- Feeding Reminder
- Volume Control
- VOX activation for crying alarm
- Parent Unit Powered by Rechargeable Battery
- 2 x Zoom Baby Unit
- 1280 x 720P Camera
- No WiFi for private connection
- 1500mAH Rechargeable battery for Monitor



Belt Clip



Tilt-Up & Down Viewing Angle



Wall Mountable

# WiFi Baby Camera

CP060



CP040



CP090



CP080



CP030



CP012



- Remote controlled HD Wi-Fi camera
- Speak back function
- Infrared night vision
- Optimally secured
- Free Smart app for iOS and Android
- Motion & Sound Notifications

- Display temperature and humidity
- Expandable with multiple Wi-Fi baby monitors for multiple rooms / children
- Split screen images to multiple cameras
- SD card for recording
- Includes bracket for wall mounting

# Accessories



## A520

White Twist Holder Flexible  
Silicon Baby Camera Bracket  
No Drilling Crib Cradle  
Rod Hose Holder Flexible  
Baby Monitor Mounting



## A720

Clip for Bed Desk Office  
Kitchen Flexible Nursery  
Camera Stand Compatible  
Mount Baby Monitor Holder  
and Shelf



### KT-279L

### Audio Baby Monitor with Room Temperature iconic Display & Night Light Optional Starry Projector

- ECO+mode : for low-emission and energy-efficient transmission
- Informative iconic LCD display with backlite
- Charging status icon
- Color Power LED indicator
- Immediately ready for use (not need to pair)
- Digital Transmission
- Range of up to 300m
- Transmission Frequency : 2.4G Hz
- Swivel Belt Clip on Parent unit for easy carrying all the time
- Parent unit with NiMH rechargeable batteries
- Baby unit with Li-Poly 700mAH rechargeable batteries

- Low Battery Alarm
- 2 White noises + 6 Lullabies
- Signal Strength icon
- 5 Volume Level Adjustment
- 2-Way Talkback
- Room Temperature & Humidity monitoring
- Visual Noise Level Monitoring
- Range control with acoustic signal
- Type C USB Power adaptor x 2
- Clear Voice communication
- Night Light



## KT270P

### Audio Baby Monitor with Starry Projector & Room Temperature & Humidity Display

- Starry Projector
- Talk Back Intercom
- Vibrating Sound-Alert
- Night Light
- Up to 1,000 ft of Range
- Parent Unit with Rechargeable Battery
- 2 White noises + 6 Lullabies
- Flip Belt Clip and hanging hook
- Sound Indicator & Alert
- Parent unit with 1000mAH Li-Poly rechargeable batteries
- Parent Unit with Li-Poly 1000mAH replaceable rechargeable battery

**Design Patent Pending**



More Color Choices



Baby Unit with Night Light



**KT288L**



Night Light

**Design Patent Pending**

**KT288D**



Parent Unit with Charging Dock

**KT288N**

**Audio Baby Monitor with Talk Back Intercom**

Up to 1,000 ft of Range

Secure & Private Connection,

Room Temperature & Humidity Display

Vibrating Sound-Alert

Night Light

High Sensitivity Mic

Volume Control

Alert Detection Light Bar

Portable Parent Unit

2 White noises + 6 Lullabies

Replaceable 1000mAH Lithium Polymer

Rechargeable Battery at both baby and parent units.



More Color Choices



**KT269L**

## Audio Baby Monitor with Room Temperature iconic Display & Night Light

- ECO+mode : for low-emission and energy-efficient transmission
- Informative iconic LCD display with backlite
- Charging status icon
- Color Power LED indicator
- Immediately ready for use (not need to pair)
- Digital Transmission
- Range of up to 300m
- Transmission Frequency : 2.4G Hz
- Low Battery Alarm
- 2 White noises + 6 Lullabies
- Swivel Belt Clip on Parent unit for easy carrying all the time

**KT269D**  
With Charging Docking Option  
Design Patent Pending



- Signal Strength icon
- 5 Volume Level Adjustment
- 2-Way Talkback
- Room Temperature & Humidity monitoring
- Visual Noise Level Monitoring
- Range control with acoustic signal
- NiMH battery for parent unit (replaceable)
- Type C USB Power adaptor x 2
- Clear Voice communication
- Night Light



**KT269A**

Basic version



**KT269N**

Night light version



Belt Clip

Hanging Hook

### KT268L

### Digital Audio Baby Monitor with Room Temperature & Humidity Display

- Talk Back Intercom
- Vibrating Sound-Alert
- Night Light
- Up to 1,000 ft of Range
- Parent Unit with Rechargeable Battery
- 2 White noises + 6 Lullabies
- Flip Belt Clip and hanging hook
- Sound Indicator & Alert
- Replaceable 1000mAH Lithium Polymer Rechargeable Battery at both baby and parent units.



**Design Patent Pending**

### KT268A



Plug & Play  
Audio Baby Monitor

### KT268N



Baby Unit with  
Night Light

### KT268D



Parent Unit with  
Charging Dock



## KT268B

### Digital Audio Baby Monitor with Room Temperature & Humidity Display

- Talk Back Intercom
- Vibrating Sound-Alert
- Night Light
- Up to 1,000 ft of Range
- Parent Unit with Rechargeable Battery
- 2 White noises + 6 Lullabies
- Flip Belt Clip and hanging hook
- Sound Indicator & Alert
- 1000mAH Lithium Polymer Rechargeable battery for both Unit
- Hand strap at Baby Unit
- Connect to 2 baby units (option)



# Kan Tsang New Technology Development Limited

 KT-Tech KanTsang

 [info@kantsang.com](mailto:info@kantsang.com)

 (852) 2342 8254

 [www.kantsang.com](http://www.kantsang.com)

 (852) 2797 8154

 VIA LICENSING®

 Unit 1, 11/F., Nan Fung Commercial Centre, No.19 Lam Lok Street, Kowloon Bay, Hong Kong

 No.8, LuYiYi Road, TangXia Town, Dong Guan City, (Keyuan Town, A3) China.



Factory Tour

